

NITOL INSURANCE COMPANY LIMITED

Police Plaza Concord: Tower-2 (6th Floor), Plot-2, Road-144, Gulshan-1, Dhaka-1212. Phone: 880-2-55045202-05, 880-2-55045210, Fax: 880-2-55045206, E-mail: info@nitolinsurance.com, Web: www.nitolinsurance.com

Questionnaire and Proposal for Deterioration of stock in Cold Storage Insurance No.

1.	Name and Address of Proposer						
		Proposer is Owner Lessor Lessee Tenant of the Cold-Storage House					
	Name and Address of						
	Tenant (If not yet stated)						
	Name and Address of Cold-Storage house Nearest Railway Station/Airport						
2.	Cold-Storage House	In operation all the ye <mark>ar round months in the y</mark> ear					
	Room No.						
	Area (m ²)						
	Height (m)						
	Temperature ([°] C)						
	Rel. Air Humidity (%)						
	CO ² (%) ²	SURANCE CO					
	O ₂ (%) ₂						
	Air Pressure (ber) ²						
	Cork Mineral Wool Foam Plastics						
		Date of Last Check					
		Date of Last Replacement					
	Alternative Storage Facilities	yes no if so, give name (s) and address (es) of alternative cold-storage house (s)					
		Distance km. parentage of goods which can be stored %.					
	Period Months						
		Have these facilities been used in earlier instances?					
		1 If near an a converte sheat					

1 If necessary on a separate sheet.

2 To be answered only in the case of CA Storage.

03.	Refrigerating Plant	Does a Machinery Breakdown Policy exist? yes no					
		If so since when? with which company?					
		When concealed was the refrigerating plant first put into operation?					
		Please complete specification of refrigerating plant (page 4)					
		Is switchover from one unite to the other possible?					
		If so, attach basic circuit diagram (Sketch)					
		What refrigerating Capacity remaiswhen cold-storage rooms are fully stored?%					
	Refrigerant	MH ³ Freon 22 Freon 12 other					
		Pipes carrying refrigerant are on the celling on the walls on the floor					
	Supervision	by own staff by government by					
	Maintenance Irreguler regular at intervals of 3 months 6 month						
		other					
		Maintenance is carried out by Manufacturer Lessor					
		own staff maintenance firm					
4.	4. Control and alarm System Please state total number of measuring devices for						
		temperature rel. air humidity ² CO ² Concentration ₂					
		CO concentration air pressure inside the room					
		Is there also an independed calibrated reference gives no thermometer in each cold storage room?					
	Check Interval (hours)	temperature rel. air humidity					
		\Box CO ² and CO concentration ₂ \Box air pressure ₂					
		Are there different arrangements for ges no Fridays and Public holidays?					
		Installed to show disturbance or failure of the plant?					
	Signaling Devices	if so, alarm is given 🗌 audibly 🗌 visibly					
		it no, what is done to prevent losses?					
		Maintenance is carried out irregularly regularly at intervals of months by					
5.	CA Storage	Can the cold-storage rooms be entered and inspected while in use?					
		Is the condition of the goods checked during storage?					

²To be answered only in the case of CA Storage.

06.	Power Supply	Is failure of power supply to be Insured?					
	Public Power Supply	by ring main by single dead-end feeder by double dead-end feeder					
		leid 🗌 undergrou	nd	ov	erhead		
	Own Power Supply						
	(Please give details)						
		of more than 2 hours in the last 2 year	ars?	[yes no)	
	Interruptions	if so, number of interruptions		1	max. duration		
	Standby	Is operational standby generating equipment available generational standby generating equipment available generation generating equipment available generation generating equipment available generation generating equipment available generation generating equipment available generating equipment equ				ט	
		it so, total capacity	kw. numbe	er of units.			
7.	Goods to be insured	Type and Grade of Goods Stored	Maximum Quantity	Number of Chambers	No. Claims Period (Hours)	Sum Insured Taka	
	The Goods are						
	Sorted						
	Packed						
				II	TOTAL		
dete conc	The "no-claims period" is the period (e.g. 12, 24, 48 hours or more) during which the goods stored cannot under any circumstances deteriorate due to a rise in temperature as a consequence of Machinery Breakdown damage indemnifiable according to the policy conditions end or failure of power supply. The no-claims period depends fundamentally on the type and quantity of goods stored and on the specific features of the cold-storage insulation used.						
	4 in the case of CA storage indicate envisaged storage duration in months.						
5 Maximum indemnification per cold-storage room.							
We hereby declare that the statement made by us in this Questionnaire and proposal are, to the best of our knowledge and belief, complete and true we hereby agree that this Questionnaire and Proposal forms the basis and is part of any policy issued in connection with the above risk (s).							
It is agreed that the Insurers are liable in accordance with the terms of the policy only and that the Insured will not lodge any other claims of whatever nature. The Insurers undertaken to deal with this information in strict confidence.							
Exec	cutee at	da	y of				
Sign	ature						

Specification of Refrigerating Plant						
ltem No.	Qty.	Description of Items Manufacturer, Type (Cooling), Capacity, Speed, Pressure Etc.	Year of Manufacturer	Remark Spare units or spare parts available internal repair facilities, replacement period etc.		